

BARRAS

ZAVALA

ESPECIALISTAS EN ACERO INOXIDABLE Y METALES


BARRAS


BARRA REDONDA

AISI 303 - 304 - 304L - 310 - 316 - 316L - 321 - 420 (DIN 1.4021, 1.4028, 1.4034), 430, 430 F, 431)

Materiales de fácil mecanización.

Tratamiento térmico: Recocido, Templado (sólo AISI 420 y 431)

| VARILLA | Diámetros mm | Peso Kg/m | Diámetros mm | Peso Kg/m |
|--|--------------|-----------|--------------|-----------|
| Acabado : Calibrada Tolerancia: h9 y h11 Longitud: 3/4 mts.  | 1,0 | 0,00 | 6,0 | 0,22 |
| | 1,5 | 0,01 | 6,5 | 0,26 |
| | 2,0 | 0,02 | 7,0 | 0,30 |
| | 2,5 | 0,03 | 7,5 | 0,34 |
| | 3,0 | 0,05 | 8,0 | 0,39 |
| | 3,5 | 0,07 | 8,5 | 0,44 |
| | 4,0 | 0,09 | 9,0 | 0,49 |
| | 4,5 | 0,12 | 9,5 | 0,55 |
| | 5,0 | 0,15 | 10,0 | 0,61 |
| | 5,5 | 0,18 | 11,0 | 0,74 |

| REDONDA | Diámetros mm | Peso Kg/m | Diámetros mm | Peso Kg/m | Diámetros mm | Peso Kg/m |
|--|--------------|-----------|--------------|-----------|--------------|-----------|
| Acabado : Callbrada, torneada, forjada y forjada torneada. Tolerancia: h9 ,h11 y DIN 1.013 Longitud: 4/6 mts.  | 12 | 0,88 | 80 | 39,45 | 210 | 271,89 |
| | 13 | 1,04 | 85 | 44,54 | 220 | 298,40 |
| | 14 | 1,20 | 90 | 49,93 | 225 | 312,12 |
| | 15 | 1,38 | 95 | 55,64 | 230 | 326,15 |
| | 16 | 1,57 | 100 | 61,55 | 235 | 340,48 |
| | 18 | 1,99 | 105 | 67,97 | 240 | 355,13 |
| | 19 | 2,22 | 110 | 74,60 | 245 | 370,08 |
| | 20 | 2,46 | 115 | 81,54 | 250 | 385,34 |
| | 22 | 2,98 | 120 | 88,78 | 255 | 400,90 |
| | 24 | 3,55 | 125 | 96,33 | 260 | 416,78 |
| | 25 | 3,85 | 130 | 104,20 | 265 | 432,96 |
| | 26 | 4,16 | 135 | 112,36 | 270 | 449,46 |
| | 28 | 4,83 | 140 | 120,84 | 275 | 466,26 |
| | 30 | 5,54 | 145 | 129,63 | 280 | 483,37 |
| | 32 | 6,31 | 150 | 138,72 | 285 | 500,78 |
| | 35 | 7,55 | 155 | 148,12 | 290 | 518,51 |
| | 38 | 8,90 | 160 | 157,83 | 295 | 536,54 |
| | 40 | 9,86 | 165 | 167,85 | 300 | 554,89 |
| | 42 | 10,87 | 170 | 178,18 | 310 | 592,49 |
| | 45 | 12,48 | 175 | 188,82 | 320 | 631,34 |
| | 48 | 14,20 | 180 | 199,76 | 325 | 651,22 |
| | 50 | 15,41 | 185 | 211,01 | 340 | 712,72 |
| | 55 | 18,65 | 190 | 222,57 | 350 | 755,26 |
| | 60 | 22,19 | 195 | 234,44 | 360 | 799,03 |
| | 65 | 26,04 | 200 | 246,62 | 380 | 890,28 |
| | 70 | 30,21 | 205 | 259,10 | 400 | 986,46 |
| | 75 | 34,68 | | | | |


Consulte nuestros servicios de corte a medida

ZAVALA


ESPECIALISTAS EN ACERO INOXIDABLE Y METALES

BARRAS

BARRA CUADRADA

| CUADRADA | | Dimensión mm | Peso Kg/m | Dimensión mm | Peso Kg/m |
|---|-------|-----------------|--------------|-----------------|--------------|
| AISI 304 | 316 | 6,0 | 0,28 | 30 | 7,06 |
| 304 L | 316 L | 8,0 | 0,50 | 35 | 9,61 |
| Tratamiento térmico: Recocido | | 10 | 0,78 | 40 | 12,56 |
| Acabado: Calibrada y laminada | | 12 | 1,13 | 45 | 15,89 |
| Tolerancia: h11 y DIN 1.013 | | 14 | 1,53 | 50 | 19,62 |
| Longitud: 4/6 mts. | | 15 | 1,76 | 60 | 28,26 |
|  | | 16 | 2,00 | 70 | 38,46 |
| | | 18 | 2,54 | 80 | 50,24 |
| | | 20 | 3,14 | 90 | 63,58 |
| | | 22 | 3,79 | 100 | 78,50 |
| | | 23 | 4,15 | 120 | 113,04 |
| | | 25 | 4,90 | | |

BARRA HEXAGONAL

| HEXAGONAL | | Dimensión mm | Peso Kg/m | Dimensión mm | Peso Kg/m |
|---|--|-----------------|--------------|-----------------|--------------|
| AISI 304 | | 5 | 0,16 | 23 | 3,59 |
| 304 L | | 7 | 0,33 | 24 | 3,91 |
| 316 | | 8 | 0,43 | 27 | 4,95 |
| 316 L | | 9 | 0,55 | 30 | 6,11 |
| 316 S | | 10 | 0,67 | 32 | 6,96 |
| 430 F | | 11 | 0,82 | 36 | 8,80 |
| Tratamiento térmico: Recocido | | 12 | 0,97 | 41 | 11,43 |
| Acabado: Calibrada y laminada | | 13 | 1,14 | 46 | 14,38 |
| Tolerancia: h11 y DIN 1.013 | | 14 | 1,33 | 50 | 16,99 |
| Longitud: 4/6 mts. | | 15 | 1,52 | 55 | 20,56 |
|  | | 16 | 1,74 | 60 | 24,47 |
| | | 17 | 1,96 | 65 | 28,72 |
| | | 18 | 2,20 | 70 | 33,30 |
| | | 19 | 2,45 | 80 | 43,50 |
| | | 20 | 2,80 | 90 | 55,06 |
| | | 21 | 2,99 | 100 | 67,97 |
| | | 22 | 3,29 | | |

ZAVALA